





ISO9001-2000 APPROVED


Cabinet Solderless Breadboard




021-002-113



021-002-143



EIC-102BJ



EIC-102



EIC-106J



EIC-104

E - CALL ENTERPRISE CO., LTD.
E-Mail: ecall@seed.net.tw
[Http://www.ecall-elec.com.tw](http://www.ecall-elec.com.tw)

Company Profile

About E-Call ...

- Established since 1985
- Registered as Exporter and Manufacturer
- Capital: NTD20,000,000-
- ISO 9001-2000 approved
- Employees: 30 persons
- Office & Manufacturing facilities: 1000m²


About E-Line...(E-Call in Shanghai)

- Established on July 17, 2001
- Capital: USD700,000-
- Employees: 150 persons at present
- Office & Manufacturing facilities: 2000m²

Main Products...

- Solderless breadboards and accessories (E.I.C. logo)
- Metal Keypad assembly
- Hi-Rel IC sockets and PGA sockets
- Wire harness and flat cable assembly

China patent certificate



Patent No. : ZL 2004 2 0110937. 6



Patent No. : ZL 2004 3 0106004.5



Patent No. : ZL 02 3 47714. 8

SOLDERLESS BREADBOARD: ABS PLASTIC/ SQUARE HOLE

Body material : EIC Brand, ABS plastic

Surface : Colored printing

Heat distortion temperature : 84°C

Plate material : Metal

Surface : Black

RoHS Option

Spring clip contact : Phosphor Bronze

Finish : Nickel plated

Contact life : 50,000 times

Insertion range : 0.4~0.7mm diameter

E.I.C. blister card package

Combines additional boards for larger breadboard available


OEM & Own design is welcome




EIC-DN(2PCS/SET)




EIC-TN




EIC-102




EIC-102B




EIC-104-3




EIC-104-1



EIC-104



EIC-106



EIC-108

Item no.	Tie-point	<u>Terminal strips</u> Terminal holes	<u>Distribution strips</u> Distribution holes	Binding posts	Foot pads	Jumper wires	Dimension(mm) (Tolerance: ±0.2mm)
EIC-DN	100*2/set	0	$\frac{2}{200}$	0	0	0	Board:165.1*18.8*8.5
EIC-TN	630	$\frac{1}{630}$	0	0	0	0	Board:165.1*35.5*8.5
<u>EIC-102</u> EIC-102J	830	$\frac{1}{630}$	$\frac{2}{200}$	0	0	$\frac{0}{70}$	Board:165.1*54.6*8.5 Plate:164*52*0.3
<u>EIC-102B</u> EIC-102BJ	830	$\frac{1}{630}$	$\frac{2}{200}$	3	5	$\frac{0}{70}$	Board:165.1*54.6*8.5 Plate:183*95*0.8
<u>EIC-104-3</u> EIC-104-3J	1360	$\frac{2}{1260}$	$\frac{1}{100}$	2	5	$\frac{0}{70}$	Board:165.1*80.8*8.5 Plate:215*100*0.8
<u>EIC-104-1</u> EIC-104-1J	1560	$\frac{2}{1260}$	$\frac{3}{300}$	3	5	$\frac{0}{70}$	Board:165.1*99.7*8.5 Plate:215*130*0.8
<u>EIC-104</u> EIC-104J	1660	$\frac{2}{1260}$	$\frac{4}{400}$	3	5	$\frac{0}{70}$	Board:165.1*109.3*8.5 Plate:215*130*0.8
<u>EIC-106</u> EIC-106J	2390	$\frac{3}{1890}$	$\frac{5}{500}$	4	5	$\frac{0}{140}$	Board:174.8*165.1*8.5 Plate:230*175*0.8
<u>EIC-108</u> EIC-108J	3220	$\frac{4}{2520}$	$\frac{7}{700}$	4	5	$\frac{0}{140}$	Board:184.4*190*8.5 Plate:240*210*0.8

SOLDERLESS BREADBOARD: POM(SILICONE) PLASTIC

Body material : EIC Brand, POM (Silicone) plastic

Surface : Blue Color

Heat distortion temperature : 150°C

Plate material : Metal

Surface : Black

RoHS Option

Spring clip contact : Phosphor Bronze

Finish : Nickel plated


Contact life : 50,000 times

Insertion range : 0.4~0.7mm diameter

E.I.C. blister card package

Combines additional boards for larger breadboard available

OEM & Own design is welcome



EIC-0210(2PCS/SET)



EIC-202




EIC-202B


EIC-0220




EIC-204-3




EIC-204-1



EIC-204



EIC-206



EIC-208

Item no.	Tie-point	<u>Terminal strips</u> Terminal holes	<u>Distribution strips</u> Distribution holes	Binding posts	Foot pads	Dimension(mm) (Tolerance: ±0.2mm)
EIC-0210	100*2/set	0	$\frac{2}{200}$	0	0	Board:165.1*18.8*8.5
EIC-0220	630	$\frac{1}{630}$	0	0	0	Board:165.1*35.5*8.5
<u>EIC-202</u> EIC-202J	830	$\frac{1}{630}$	$\frac{2}{200}$	0	0	Board:165.1*54.6*8.5 Plate:164*52*0.3
<u>EIC-202B</u> EIC-202BJ	830	$\frac{1}{630}$	$\frac{2}{200}$	3	5	Board:165.1*54.6*8.5 Plate:183*95*0.8
<u>EIC-204-3</u> EIC-204-3J	1360	$\frac{2}{1260}$	$\frac{1}{100}$	2	5	Board:165.1*80.8*8.5 Plate:215*100*0.8
<u>EIC-204-1</u> EIC-204-1J	1560	$\frac{2}{1260}$	$\frac{3}{300}$	3	5	Board:165.1*99.7*8.5 Plate:215*130*0.8
<u>EIC-204</u> EIC-204J	1660	$\frac{2}{1260}$	$\frac{4}{400}$	3	5	Board:165.1*109.3*8.5 Plate:215*130*0.8
<u>EIC-206</u> EIC-206J	2390	$\frac{3}{1890}$	$\frac{5}{500}$	4	5	Board:174.8*165.1*8.5 Plate:230*175*0.8
<u>EIC-208</u> EIC-208J	3220	$\frac{4}{2520}$	$\frac{7}{700}$	4	5	Board:184.4*190*8.5 Plate:240*210*0.8

SOLDERLESS BREADBOARD: ABS PLASTIC

Body material : EIC Brand, ABS plastic

Surface : Unprinted

Heat distortion temperature : 84°C

Plate material : Metal

Surface : Black

RoHS Option

Spring clip contact : Phosphor Bronze

Finish : Nickel plated

Contact life : 50,000 times


Insertion range : 0.4~0.7mm diameter

E.I.C. blister card package


Combines additional boards for larger breadboard available

OEM & Own design is welcome


China Patent NO.: ZL 02 347714 .8




EIC-301



EIC-333



EIC-343



EIC-364

Item no.	Tie-point	<u>Terminal strips</u> Terminal holes	<u>Distribution strips</u> Distribution holes	Binding posts	Foot pads	Jumper wires	Dimension(mm) (Tolerance: ±0.2mm)
EIC-301	270	0	0	0	0	0	Board: 83.7*45.2*8.5
EIC-333	810	$\frac{3}{810}$	0	3	5	0	Board: 83.7*135.6*8.5 Plate: 165*130*0.8
EIC-343	1080	$\frac{4}{1080}$	0	3	5	0	Board: 167.4*90.4*8.5 Plate: 215*130*0.8
EIC-364	1620	$\frac{6}{1620}$	0	4	5	0	Board: 135.6*167.4*8.5 Plate: 230*175*0.8

SOLDERLESS BREADBOARD: SQUARE HOLE

Body material : EIC Brand, ABS plastic

Surface : Colored printing

Heat distortion temperature : 84°C

Plate material : Metal

Surface : Black

RoHS Option

Spring clip contact : Phosphor Bronze

Finish : Nickel plated


Contact life : 50,000 times

Insertion range : 0.4~0.7mm diameter


E.I.C. blister card package

Combines additional boards for larger breadboard available


OEM & Own design is welcome




EIC-402




EIC-402B




EIC-404-3




EIC-404-1



EIC-404



EIC-406



EIC-408

Item no.	Tie-point	Terminal strips	Distribution strips	Binding posts	Foot pads	Jumper wires	Dimension(mm) (Tolerance: ±0.2mm)
		Terminal holes	Distribution holes				
EIC-402	840	1	2	0	0	0	Board:165.1*54.6*8.5 Plate:164*52*0.3
EIC-402J		640	200				
EIC-402B	840	1	2	3	5	0	Board:165.1*54.6*8.5 Plate:183*95*0.8
EIC-402BJ		640	200				
EIC-404-3	1380	2	1	2	5	0	Board:165.1*80.8*8.5 Plate:215*100*0.8
EIC-404-3J		1280	100				
EIC-404-1	1580	2	3	3	5	0	Board:165.1*99.7*8.5 Plate:215*130*0.8
EIC-404-1J		1280	300				
EIC-404	1680	2	4	3	5	0	Board:165.1*109.3*8.5 Plate:215*130*0.8
EIC-404J		1280	400				
EIC-406	2420	3	5	4	5	0	Board:174.8*165.1*8.5 Plate:230*175*0.8
EIC-406J		1920	500				
EIC-408	3260	4	7	4	5	0	Board:184.4*190*8.5 Plate:240*210*0.8
EIC-408J		2560	700				

SOLDERLESS BREADBOARD: ABS PLASTIC/ SQUARE HOLE

Body material : EIC Brand, ABS plastic

Surface : Unprinted

Heat distortion temperature : 84°C

Plate material : Metal

Surface : Black

RoHS Option

Spring clip contact : Phosphor Bronze

Finish : Nickel plated


Contact life : 50,000 times

Insertion range : 0.4~0.7mm diameter


E.I.C. blister card package

Combines additional boards for larger breadboard available


OEM & Own design is welcome




EIC-501



EIC-701



EIC-901



EIC-901B

Item no.	Tie-point	<u>Terminal strips</u> Terminal holes	<u>Distribution strips</u> Distribution holes	Binding posts	Foot pads	Jumper wires	Dimension(mm) (Tolerance:±0.2mm)
EIC-501	480	$\frac{1}{480}$	0	0	0	0	Board:117*45.2*8.5
EIC-701	550	$\frac{1}{550}$	0	0	0	0	Board:144.7*46.0*8.5
EIC-901	840	$\frac{1}{840}$	0	0	0	0	Board:165.1*55.8*8.5
EIC-901B	840	$\frac{1}{840}$	0	3	5	0	Board:165.1*55.8*8.5 Plate:183.0*95.0*0.8

SOLDERLESS BREADBOARD: ABS PLASTIC/ SQUARE HOLE

Body material : EIC Brand, ABS plastic

Surface : Colored printing

Heat distortion temperature : 84°C

Plate material : Metal

Surface : Black

RoHS Option

Spring clip contact : Phosphor Bronze

Finish : Nickel plated

Contact life : 50,000 times

Insertion range : 0.4~0.7mm diameter

E.I.C. blister card package

Combines additional boards for larger breadboard available


OEM & Own design is welcome




EIC-801D(2PCS/SET)




EIC-801T




EIC-801




EIC-8021



EIC-8032



EIC-8042



EIC-8064

Item no.	Tie-point	<u>Terminal strips</u> Terminal holes	<u>Distribution strips</u> Distribution holes	Binding posts	Foot pads	Jumper wires	Dimension(mm) (Tolerance:±0.2mm)
EIC-801D	50*2/set	0	$\frac{2}{100}$	0	0	0	Board:84.0*9.4*8.5
EIC-801T	300	$\frac{1}{300}$	0	0	0	0	Board:84.0*35.5*8.5
EIC-801	400	$\frac{1}{300}$	$\frac{2}{100}$	0	0	0	Board:84.0*54.3*8.5
EIC-8021	750	$\frac{2}{600}$	$\frac{3}{150}$	0	0	0	Board:84.0*99.2*8.5
EIC-8032	1100	$\frac{3}{900}$	$\frac{4}{200}$	3	5	0	Board:84.0*144.1*8.5 Plate:165.0*130.0*0.8
EIC-8042	1500	$\frac{4}{1200}$	$\frac{6}{300}$	3	5	0	Board:168.0*99.2*8.5 Plate:215.0*130.0*0.8
EIC-8064	2200	$\frac{6}{1800}$	$\frac{8}{400}$	4	5	0	Board:144.1*168.0*8.5 Plate:230.0*175.0*0.8

SOLDERLESS BREADBOARD: ABS PLASTIC/ ROUND HOLE

Body material : EIC Brand, ABS plastic

Surface : Colored printing

Heat distortion temperature : 84°C

Plate material : Metal

Surface : Black

RoHS Option

Spring clip contact : Phosphor Bronze

Finish : Nickel plated


Contact life : 50,000 times

Insertion range : 0.4~0.7mm diameter


E.I.C. blister card package

Combines additional boards for larger breadboard available

OEM & Own design is welcome



China Paten NO.: ZL 2004 3 0106004 .5
ZL 2004 2 0110937. 6



Item no.	Tie-point	<u>Terminal strips</u> Terminal holes	<u>Distribution strips</u> Distribution holes	Binding posts	Foot pads	Jumper wires	Dimension(mm) (Tolerance:±0.2mm)
EIC-1102	830	$\frac{1}{630}$	$\frac{2}{200}$	0	0	0	Board:165.1*54.6*8.5 Plate:164*52*0.3
EIC-1104	1660	$\frac{2}{1260}$	$\frac{4}{400}$	3	5	0	Board:165.1*109.3*8.5 Plate:215*130*0.8
EIC-1106	2390	$\frac{3}{1890}$	$\frac{5}{500}$	4	5	0	Board:174.8*165.1*8.5 Plate:230*175*0.8
EIC-1108	3220	$\frac{4}{2520}$	$\frac{7}{700}$	4	5	0	Board:184.4*190*8.5 Plate:240*210*0.8

SOLDERLESS BREADBOARD: ABS PLASTIC/SQUARE HOLE/With Terminal Blocks

Body material : EIC Brand, ABS plastic

Surface : Colored printing

Heat distortion temperature : 84°C

Plate material : Metal

Surface : Black

RoHS Option

Spring clip contact : Phosphor Bronze

Finish : Nickel plated

Contact life : 50,000 times

Insertion range : 0.4~0.7mm diameter

E.I.C. blister card package


Combines additional boards for larger breadboard available

OEM & Own design is welcome

With Terminal Blocks



EIC-1202B



EIC-1204-1B


Item no.	Tie-point	Terminal strips Terminal holes	Distribution strips Distribution holes	Terminal Blocks	Foot pads	Jumper wires	Dimension(mm) (Tolerance:±0.2mm)
EIC-1202B	830	$\frac{1}{630}$	$\frac{2}{200}$	2*8	5	0	Board:165.1*54.6*8.5 Plate: 183*95*0.8
EIC-1204-1B	1560	$\frac{2}{1260}$	$\frac{3}{300}$	2*8	5	0	Board:165.1*99.7*8.5 Plate:183*160*0.8

New Breadboard Simple Type (Round Hole)


Easy to Combine Together

Assemble to Variety Sizes


Easy for Use




EIC-16010 167.1 x 45.0 x 15.2 mm




EIC-16020 167.1 x 54.4 x 15.2 mm




EIC-16041 167.1 x 101.7 x 15.2 mm



EIC-16062 167.1 x 146.0 x 15.2 mm



EIC-16083 167.1 x 191.0 x 15.2 mm



EIC-16166 333.0 x 191.0 x 15.2 mm



SOLDERLESS BREADBOARD : EIC-15010/EIC-602/605

Body material : EIC Brand, POM plastic
Surface : Unprinted
Heat distortion temperature : 150°C
Terminalholes : 170 holes

RoHS Option




Spring clip contact : Phosphor Bronze
Finish : Nickel plated
Contact life : 50,000 times
Insertion range : 0.4~0.7mm diameter

E.I.C. blister card package

Combines additional boards for larger breadboard available

OEM & Own design is welcome







****With 2pcs screws**



TERMINAL BLOCK

*L.E.D. indicators not included

*Polybag pack



JUMPER WIRE KIT

A perfect kit contains 14 sizes of colorful solid 22 AWG wire jumpers


Each jumper with stripped and right-angled ends for easy use for breadboards

Supplied in an excellent plastic case for well-assortment

RoHS Option



EIC-J-XL(350pcs)



EIC-J-L(140pcs)

EIC-J-S(70pcs)

22 AWG solid wires

Pre-cut, Pre Stripped and Preformed on each end.

Variety colors, 14 lengths (2.5/5.1/7.7/10.3/12.7/15.3/17.8/20.1/22.8/25.4/51.3/76.3/101.3 and 126.3mm) ± 0.2mm

Completely Reusable

Item no.	Description	Box (mm)
EIC-J-XL	350pcs jumper wires (14 lengths x 25pcs each)	205x145x40 (Item no. 021-002-350)
EIC-J-L	140pcs jumper wires (14 lengths x 10pcs each)	168x55.5x14.5
EIC-J-S	70pcs jumper wires (14 lengths x 5pcs each)	168x55.5x14.5


CABINET

Box will not crack or split when drilled or punched, enclosed with four screws and lid

Material by ABS plastic in foggy surface

Anti-static/RoHS option

Standard Color: Black Optional Color: Gray, Beige



Item no.	Box description (mm) (Tolerance: ±0.2mm)	Item no.	Box description (mm) (Tolerance: ±0.2mm)
021-002-013	112mm*57mm*22mm/ BLACK	021-002-103	115mm*60mm*44mm/ BLACK
021-002-023	150mm*99mm*60mm/ BLACK	021-002-113	135mm*75mm*49mm/ BLACK
021-002-033	129mm*64mm*45mm/ BLACK	021-002-123	160mm*95mm*62mm/ BLACK
021-002-043	185mm*114mm*66mm/ BLACK	021-002-133	193mm*115mm*75mm/ BLACK
021-002-074	196mm*110mm*36mm/ GRAY+BEIGE	021-002-143	223mm*139mm*92mm / BLACK
021-002-084	195mm*110mm*76mm/ GRAY+BEIGE	021-002-163	76mm*50mm*27mm/ BLACK
021-002-093	95mm*48mm*37mm/ BLACK	021-002-173	102mm*77mm*41mm/ BLACK

Transparent Solderless Breadboard

全新 透明免焊型麵包板




獨家透明設計 (New Transparent Look)

高級ABS材質，不易變形 (High quality ABS material)

結構清晰，元件插拔一目瞭然 (Clear view of the structure)

億舟 **24** YEAR

另通過中國專利証號
ZL 2004 3 0106004.5



Machine Pin Jumper Wires

- 圓型車床針更易插拔，重覆使用不變形 (Round machine pin/Easy for insertion, extraction/ No distortion)
- 線體有彈性，可彎折使用仍恢復原狀 (Flexible wires)



0116-719-06-005
(50mm)



0116-719-08-007
(70mm)



0116-719-07-010
(100mm)



0116-719-11-015
(150mm)



0116-719-02-020
(200mm)



億舟企業股份有限公司 E-CALL ENTERPRISE CO., LTD.

台北市南港區重陽路221號6F

TEL:886-2-2788-9688 (代表號)

http://www.ecall-elec.com.tw

FAX:886-2-26511996, 26514606


E-mail:ecall@seed.net.tw

特殊型麵包板

另通過中國專利証號 ZL 2004 3 0106004.5



★ 165-40-1-180DN
104.14x9.4x8.5mm




★ 165-40-1-190DN
134.62x9.4x8.5mm




★ 165-40-1-200DN
165.1x9.4x8.5mm




★ 165-40-1-180TN
104.14x35.6x8.5mm



★ 165-40-1-190TN
134.62x35.6x8.5mm



★ 165-40-1-200TN
165.1x35.6x8.5mm



億舟企業股份有限公司 E-CALL ENTERPRISE CO., LTD.

台北市南港區重陽路221號6F

TEL:886-2-2788-9688 (代表號)

<http://www.ecall-elec.com.tw>

FAX:886-2-26511996, 26514606

E-mail:ecall@seed.net.tw

免焊型麵包板 特殊尺寸

億舟 25 YEAR




EIC-2006


另通過中國專利証號 ZL 2004 3 0106004.5




EIC-2008




EIC-2014




EIC-2004-1



● 165-40-1-18020
104.1x54.4x9.4mm



● 165-40-1-19020
134.6x54.4x9.4mm



● 165-40-1-20020
165.1x54.4x9.4mm

● Jumper Wires: M-M (Machine Pin) / M-F / F-F
(50mm/70mm/100mm/150mm/200mm, variety colors)
10pcs/pack



0116-719-07-010
(100mm, M-M, Orange)



0116-71905-01-015
(150mm, F-F, Red)



0116-71904-11-015
(150mm, M-F, Purple)




億舟企業股份有限公司
台北市南港區重陽路221號6F
TEL: 886-2-2788-9688 (代表號)
<http://www.ecall-elec.com.tw>

E-CALL ENTERPRISE CO., LTD.
FAX: 886-2-26511996, 26514606
E-mail: ecall@seed.net.tw



SOLDERLESS BREADBOARD



HEADQUARTER

E-CALL Enterprise Co.,Ltd.
6FL, NO. 221, CHUNG YUNG RD.,
NAN KANG DIST. 11563 TAIPEI, TAIWAN.
Tel:886-2-27889688(REP.)
Fax:886-2-26511996,26514606
E-mail:ecall@seed.net.tw



FACTORY

E-LINE Electronics Shanghai Co.,Ltd.
BUILDING NO. 1, NO. 1955, CHUN SHEN ROAD,
SHANGHAI, CITY, CHINA 200237
Tel:86-21-54300271,54300272,54300273
Fax:86-21-54300279
E-mail:e-line_sh@163.com

[Http://www.ecall-elec.com.tw](http://www.ecall-elec.com.tw)